EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	302	(712/15).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:21
L2	644	(712/20-22).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:21
L3	519	(712/221).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:21
L4	2	((PLUNKETT-ROBERT \$) and (HEIDARI- GHOBAD\$) and (MASTER-PAUL\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:21
L5	10	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri \$3) with (architectur \$3 near4 (different or distinct or separat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:41
L6	5	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri \$3) with mod\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:41
L7	157	(configur\$7 or control \$3 or switch\$3) with (MIMD near4 SIMD)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:41

L8	116	(configur\$7 or control \$3 or switch\$3) near4 (MIMD near4 SIMD)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:41
L9	83	(configur\$7) with (MIMD near4 SIMD)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:54
L10	3	(configur\$7) near4 (MIMD near4 SIMD) near4 mod\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 09:54
L11	10	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri \$3) with (architectur \$3 near4 (different or distinct or separat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 10:00
L12	0	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (connect\$6) with (architectur\$3 near4 (different or distinct or separat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 10:01
L13	0	(reconfig\$6 near4 heterogeneous\$3) with (connect\$6) with function\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 10:02
L14	151	(reconfig\$6 with (heterogeneous\$3 or different\$6)) with (connect\$6) with function\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 10:02
L15	1	(reconfig\$6 near4 function\$6) with (connect\$6 near4 (availabl\$6 or free or unus\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/02/16 10:04

S1	1	("6046603").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/20 14:03
S2	204	(712/15).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/07 17:20
S3	262	(712/15).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:41
S4	553	(712/20-22).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:41
S5	553	((712/20) or (712/21) or (712/22)).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:41
S6	446	(712/221).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:41
S 7	96	(reconfig\$6 near4 heterogeneous\$3) with (fixed or permanent or unchang \$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:42
S8	96	(reconfig\$6 near4 heterogeneous\$3) with (fixed or permanent or unchang \$6) with (element\$1 or unit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:42
S9	92	(reconfig\$6 near4 heterogeneous\$3) with (fixed or permanent or unchang \$6) with (element\$1 or unit\$1) with (network\$3 or matri \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:43

S10	92	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:43
S11	10	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri \$3) with (architectur \$3 near4 (different or distinct or separat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:46
S12	1	("5450557").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 20:56
S13	0	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri \$3) with (idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 21:03
S14	0	(Gove).in. and SIMIMD	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 21:04
S15	32	(Gove).in. and (SIMD near4 MIMD)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 21:04
S16	5	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri \$3) with mod\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 21:09
S17	158	(hung).in. and MAC	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 21:17

S18	1	(hung).in. and (MAC with reconfig\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 21:17
S19	2	((PLUNKETT-ROBERT \$) and (HEIDARI- GHOBAD\$) and (MASTER-PAUL\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/30 22:09
S20	282	(712/15).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:34
S21	609	(712/20-22).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:34
S22	486	(712/221).COLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:34
S23	10	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri \$3) with (architectur \$3 near4 (different or distinct or separat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:34
S24	5	(reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang \$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri \$3) with mod\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:35
S25	152	(configur\$7 or control \$3 or switch\$3) with (MIMD near4 SIMD)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:46
S26	115	(configur\$7 or control \$3 or switch\$3) near4 (MIMD near4 SIMD)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:46

S27	69	(configur\$7 or control \$3 or switch\$3) near4 (MIMD near4 SIMD) near4 mod\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:46
S28	3	(configur\$7) near4 (MIMD near4 SIMD) near4 mod\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:46
S29	82	(configur\$7) with (MIMD near4 SIMD)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:48
S30	3	(configur\$7) near4 (MIMD near4 SIMD) near4 mod\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/11 08:48
S31	2	((PLUNKETT-ROBERT \$) and (HEIDARI- GHOBAD\$) and (MASTER-PAUL\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/06/12 10:54

EAST Search History (Interference)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	1	(712/15).OOLS.	UPAD	OR	OFF	2010/02/16 10:17
L17	14	(712/20-22).OCLS.	UPAD	OR	OFF	2010/02/16 10:17
L18	20	(712/221).OOLS.	UPAD	OR	OFF	2010/02/16 10:17
L19	23	((configur\$7 or control \$3 or switch\$3) with (MIMD near4 SIMD)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:17
L20	11	((configur\$7 or control \$3 or switch\$3) near4 (MIMD near4 SIMD)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:17
L21	11	((configur\$7 or control \$3 or switch\$3) near4 (MIMD near4 SIMD)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:17

<u> </u>	((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:17
2	((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with mod\$3). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:17
7	((configur\$7) with (MIMD near4 SIMD)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:17
0	((configur\$7) near4 (MIMD near4 SIMD) near4 mod\$3).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:17
7	((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:17
0	((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (connect\$6) with (architectur\$3 near4 (different or distinct or separat\$3))).clm.	USPAT; UPAD	OR	OFF	2010/02/16 10:18
	7	heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 2 ((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with mod\$3). clm. 7 ((configur\$7) with (MIMD near4 SIMD)). clm. 0 ((configuf\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 0 ((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (connect\$6) with (architectur\$3 near4 (element\$1 or unit\$1)) with (connect\$6) with (architectur\$3 near4 (different or distinct or	heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 2 ((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with mod\$3). clm. 7 ((configur\$7) with (MIMD near4 SIMD)). clm. 0 ((configur\$7) near4 (MIMD near4 SIMD) near4 mod\$3).clm. 7 ((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 0 ((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (connect\$6) with (architectur\$3 near4 (element\$1 or unit\$1)) with (connect\$6) with (architectur\$3 near4 (different or distinct or	heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 2 ((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with mod\$3).clm. 7 ((configur\$7) with (MIMD near4 SIMD)).clm. 0 ((configur\$7) near4 (MIMD near4 SIMD) near4 mod\$3).clm. 7 ((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 0 ((reconfig\$6 near4 heterogeneous\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 0 ((reconfig\$6 near4 heterogeneous\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 0 ((reconfig\$6 near4 heterogeneous\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 0 ((reconfig\$6 near4 heterogeneous\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm.	heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with (architectur\$3 near4 (different or distinct or separat\$3))).clm. 2 ((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (network\$3 or matri\$3) with mod\$3).clm. 7 ((configur\$7) with (USPAT; UPAD)

L28	0	((reconfig\$6 near4 heterogeneous\$3) with ((fixed or permanent or unchang\$6) near4 (element\$1 or unit\$1)) with (connect\$6) with (architectur\$3 near4 (different or distinct or separat\$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:18
L29	0	((reconfig\$6 near4 heterogeneous\$3) with (connect\$6) with function\$6).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:18
L30	31	((reconfig\$6 with (heterogeneous\$3 or different\$6)) with (connect\$6) with function\$6).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:18
L31	O	((reconfig\$6 near4 function\$6) with (connect\$6 near4 (availabl\$6 or free or unus\$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/02/16 10:18

2/16/10 10:48:09 AM

C:\ Documents and Settings\ ALi\ My Documents\ EAST\ Workspaces\ 10015530.wsp